MAN TGS 18.420 4X2 BLS-TS

SH02521025



Body type Tractor unit 05/2019 1st reg.

Power 309kW (420 HP)

Mileage 451411 km

Storage location Otopeni - MHS Truck

Service

BASIC DATA

Brand MAN Model serie **TGS**

Model variant TGS TG2

Body type Tractor unit (Standard)

Colours white LX Driver's cab

Berths 1 berth

Price

25,990 EUR (net)

31,448 EUR (gross)

Offer Date

08.11.2025

TECHNICAL DATA

Power 309 kW (420 HP)

Fuel Diesel

Gearbox type **Automatic**

4x2 Wheel drive

Suspension Leaf air suspension

Axles 2 axles

WEIGHTS AND MEASURES

GVW 18,000 kg

700 mm Rear overhang

Wheel base 3600 mm

Fuel tank AdBlue: 60 I

Fuel tank: 490 I

Emission category Euro6



EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Intarder
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

Wheels and tyres

- Light alloy rims: ALCOA matt
- Spare wheel carrier

Comfort

- Adjustable steering column
- Electric window lift 2x
- Air conditioning
- Driver's armrest
- Comfortable driver seat
- Additional heating
- Central locking
- Air-suspended driver seat
- Cup holder front
- DC/AC converter

Interior

- Board computer
- Multifunctional steering wheel
- Aluminum inlays
- Digital tachograph: with speed and additional recording for tankers
- Carpet floor covering

Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light
- LED daytime running lights

Audio & communication

- Radio
- Mobile phone preparation Bluetooth
- AUX & USB connector

Assistance systems

- Adaptive Cruise Control ACC
- MAN BrakeMatic
- Brake assist
- Lane-Guard-System LGS
- Hill Hold Control HHC



Speed limiter

Exterior

- Electr. and heated rear view mirrors
 - Low noise
- Rear differential lock
- Fifth wheel
- 1x15 pin plug
- Cab Suspension
- Working lights
- Lifting roof (manual)
- RIO Box

Equipment packages

Safety basic package

Others

front springs parabolic 7.1 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, HY axle ratio i 2.71, fuel filter heating, wiring for tank truck to ADR, equipment for dangerous goods to ADR, type EXIII (EXII,FL,AT), fire apron for tanker, supply kit for semitrailer with lifting axle or moving-off aid, electrical preparation for retrofit of a PTO, tanker vehicle socket 24V (15-pin), pick-up plate 40 mm