

MAN TGX 18.440 4X2 BLS

SH04580524



Price **11,990 EUR** (net)

14,508 EUR (gross)

Offer Date 04.09.2025

| | |
|------------------|-----------------------------|
| Body type | Tractor unit |
| 1st reg. | 04/2016 |
| Power | 324kW (441 HP) |
| Mileage | 776087 km |
| Storage location | Otopeni - MHS Truck Service |

BASIC DATA

| | |
|---------------|-------------------------|
| Brand | MAN |
| Model serie | TGS |
| Model variant | TGS TG2 |
| Body type | Tractor unit (Standard) |
| Colours | white |
| Driver's cab | XL |
| Berths | 1 berth |

TECHNICAL DATA

| | |
|--------------|---------------------|
| Power | 324 kW (441 HP) |
| Fuel | Diesel |
| Gearbox type | Manual |
| Wheel drive | 4x2 |
| Suspension | Leaf air suspension |
| Axles | 2 axles |

WEIGHTS AND MEASURES

| | |
|-------------------|----------------------------------|
| GVW | 18,000 kg |
| Rear overhang | 750 mm |
| Wheel base | 3600 mm |
| Fuel tank | AdBlue: 60 l Fuel tank: 400 l |
| Emission category | Euro6 |

EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Immobilizer
- Kerb mirror: right
- Heated wide angle mirror

Interior

- Board computer
- Multifunctional steering wheel
- Digital tachograph
- Carpet floor covering

Audio & communication

- Radio/CD
- AUX & USB connector

Light and sight

- Tinted glass
- Headlight range control
- Daytime running lights

Others

Comfort

- Adjustable steering column
- Electric window lift 2x
- Air conditioning
- Driver's armrest
- Comfortable driver seat
- Central locking with remote control
- Air-suspended driver seat
- Isolated driver's cab
- DC/AC converter

Exterior

- Self-levelling suspension
- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- PTO: PTO NH/1C without flange
f0.91/1.09right side, horizontal
- Fifth wheel
- Lifting roof (manual)

Assistance systems

- Cruise control
- MAN BrakeMatic
- Speed limiter

Wheels and tyres

- Spare wheel carrier

front springs parabolic 8.0 t, rear air suspension 13 t, hub reduction rear axle AP HP-1352, planetary axle ratio i 3.63, fuel filter heating, cab insulation NORDIC, wiring for tank truck to ADR, ADR Typ AT, equipment for dangerous goods to ADR, type OX, supply kit for semitrailer with lifting axle or moving-off aid, trailer socket 24V (7-7-pin), pick-up plate 40 mm