

# **MAN TGX 18.460 4X2 LLS-U**

## SH06601224





Price

**14,990 EUR** (net)

**18,138 EUR** (gross)

Offer Date

04.09.2025

Body type Tractor unit

1st reg. 07/2017

Power 338kW (460 HP)

Mileage 680274 km

Storage location Otopeni - MHS Truck

Service

# **BASIC DATA**

Brand MAN

Model serie TGX

Model variant TGX TG2

Body type Tractor unit (Mega)

Colours white

Driver's cab XLX

Berths 2 berths

## **TECHNICAL DATA**

Power 338 kW (460 HP)

Fuel Diesel

Gearbox type Automatic

Wheel drive 4x2

Suspension Leaf air suspension

Axles 2 axles

# **WEIGHTS AND MEASURES**

GVW 18 kg

Rear overhang 800 mm

Wheel base 4 mm

Fuel tank AdBlue: 60 I

Fuel tank: 580 l

Fuel tank: 580 l

Emission category Euro6



# **EQUIPMENT**

### Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Rear underrun
- Kerb mirror: right
- Wide angle mirror

#### Interior

- Board computer
- Leather steering wheel
- Inlays
- Tachograph
- Rubber floor covering
- Cooling box

#### **Audio & communication**

- Radio
- Car phone
- Audio-interface

## **Light and sight**

#### Comfort

- Adjustable steering column
- Electric window lift
- Air conditioning
- Front armrest
- Electric driver seat
- Comfortable seats
- Stationary heating
- Central locking
- Air-suspended driver seat
- Isolated driver's cab
- DC/AC converter

#### **Exterior**

- Self-levelling suspension
- Electr. rear view mirrors
- Low noise
- Differential lock
- Fifth wheel
- 2x7 pin plug
- Cab Suspension
- Axle load indicator
- Lifting roof

#### **Assistance systems**

- Cruise control
- Electronic Brake System EBS
- Brake assist: Emergency Brake Assist 2
- Lane Departure Warning System LDWS
- Hill Hold Control HHC
- Speed limiter



- Tinted glass
- Headlight range control
- Daytime running lights

## Wheels and tyres

Spare wheel carrier

## **Equipment packages**

- Optic package
- Equipment package

#### **Others**

front springs parabolic 7.5 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.53, fuel filter heating, cab insulation NORDIC, wiring for tank truck to ADR, ADR Typ AT, equipment for dangerous goods to ADR, type OX, supply kit for semitrailer with lifting axle or moving-off aid, trailer socket 24V (15-pin), pick-up plate 40 mm