

MAN TGX 18.470 4X2 BL SA

SH01860826



Price **46,990 EUR** (net)
56,858 EUR (gross)
 Offer Date 14.10.2026

Body type Tractor unit
 1st reg. 08/2022
 Power 346kW (470 HP)
 Mileage 442305 km
 Storage location Braşov - MHS Truck Service

BASIC DATA

Brand MAN
 Model serie TGX
 Model variant TGX TG3
 Body type Tractor unit (Standard)
 Colours blue
 Driver's cab GM

TECHNICAL DATA

Power 346 kW (470 HP)
 Fuel Diesel
 Gearbox type Automatic
 Wheel drive 4x2
 Suspension Leaf air suspension
 Axles 2 axles

WEIGHTS AND MEASURES

GVW 18,000 kg
 Rear overhang 800 mm
 Wheel base 3600 mm
 Fuel tank AdBlue: 80 l
 Fuel tank: 580 l
 Fuel tank: 580 l
 Emission category Euro6

EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Retarder
- Rear underrun
- Electr. and heated kerb mirror
- Trailer Brake Connection

Interior

- Multifunctional steering wheel
- Digital tachograph
- Sun visor
- Refrigerator

Audio & communication

- MAN Media Truck Advanced
- MAN SmartSelect
- Soundsystem
- Smartphone app integration

Exterior

- Electr. and heated rear view mirrors
- Roof spoiler
- Rear differential lock
- Twin tyres

Comfort

- Adjustable steering column
- Climatronic
- Driver's armrest
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Heated drivers seat
- Air-suspended driver seat
- Cup holder
- Control panel MAN EasyControl

Light and sight

- Fog lights
- LED headlights
- Tinted glass
- Headlight range control
- Headlight cleaning system
- Cornering light
- LED daytime running lights

Assistance systems

- Efficientcruise
- Electronic Brake System EBS
- Brake assist
- Lane Departure Warning System LDWS
- Hill Hold Control HHC
- efficientroll
- Speed limiter

- Fifth wheel maintenance-free
- 1x15 pin plug
- Antispray
- MAN AttentionGuard
- Working lights
- Axle load indicator
- Lifting roof (manual)
- Telematics system

Equipment packages

- Aero package

Others

- MAN EVBec high-performance engine brake, stages possible, Double tank connection