MAN

MAN TGX 18.470 4X2 BLS

SH02541025



Price **29,990 EUR** (net)

36,288 EUR (gross)

Offer Date 05.12.2025

Body type Tractor unit 1st reg. 09/2019

Power 346kW (470 HP)

Mileage 501894 km

Storage location Otopeni - MHS Truck

Service

BASIC DATA

Brand MAN

Model serie TGX

Model variant TGX TG2

Body type Tractor unit (Standard)

Colours white Driver's cab XLX

Berths 2 berths

TECHNICAL DATA

Power 346 kW (470 HP)

Fuel Diesel

Gearbox type Automatic

Wheel drive 4x2

Suspension Leaf air suspension

Axles 2 axles

WEIGHTS AND MEASURES

GVW 18,000 kg

Rear overhang 800 mm

Wheel base 3600 mm

Fuel tank AdBlue: 60 I

Fuel tank: 580 I Fuel tank: 580 I

Emission category Euro6



EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Driver's armrest
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Heated drivers seat
- Air-suspended driver seat
- Driver's lumbar support
- Cup holder front
- Isolated driver's cab
- DC/AC converter

Interior

- Board computer
- Multifunctional steering wheel
- Aluminum inlays
- CB radio
- Digital tachograph
- Carpet floor covering
- Cooling box

Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light
- LED daytime running lights

Audio & communication

- Radio
- Mobile phone preparation Bluetooth
- AUX & USB connector

Assistance systems

- Distance cruise control
- MAN BrakeMatic
- Brake assist: Emergency Brake Assist 2
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

Exterior

- Electr. and heated rear view mirrors
- Low noise



- Rear differential lock
- Fifth wheel
- 1x15 pin plug
- Spare wheel
- Cab Suspension
- Axle load indicator
- Lifting roof (manual)
- Information and service system
- RIO Box

Wheels and tyres

Spare wheel carrier

Equipment packages

- Aero package
- Efficientline 3 package
- Safety basic package

Others

front springs parabolic 7.5 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.53, cab insulation NORDIC, trailer socket 24V (15-pin), pick-up plate 40 mm