

SH03970224

# MAN TGX 18.480 4X2 BLS



9,990 EUR (net)

12,088 EUR (gross)

01.09.2025



Price

Offer Date

Body type
1st reg.
Power
Mileage
Storage location

Tractor unit 02/2015 353kW (480 HP) 751086 km Otopeni - MHS Truck Service

# **BASIC DATA**

Brand	MAN
Model serie	TGX
Model variant	TGX TG2
Body type	Tractor unit (Standard)
Colours	white
Driver's cab	XLX
Berths	1 berth

# **TECHNICAL DATA**

Power	353 kW (480 HP)
Fuel	Diesel
Gearbox type	Automatic
Wheel drive	4x2
Suspension	Leaf air suspension
Axles	2 axles

# **WEIGHTS AND MEASURES**

GVW	18,000 kg
Rear overhang	800 mm
Wheel base	3900 mm
Fuel tank	AdBlue: 60 I
	Fuel tank: 580 l
	Fuel tank: 580 l
Emission category	Euro6



# EQUIPMENT

#### Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Intarder
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

#### Interior

- Board computer
- Multifunctional steering wheel
- Digital tachograph
- Carpet floor covering

## Audio & communication

- Radio/CD
- Mobile phone preparation Bluetooth

## Exterior

- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- Fifth wheel
- Spare wheel
- Working lights
- Lifting roof (manual)

## Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Driver's armrest
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Air-suspended driver seat
- Isolated driver's cab
- DC/AC converter

## Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light
- Ambient lighting

## Assistance systems

- Cruise control
- MAN BrakeMatic
- Hill Hold Control HHC
- Speed limiter



Telematics system

#### Wheels and tyres

Spare wheel carrier

#### **Equipment packages**

Aero package

#### **Others**

front springs parabolic 7.5 t, rear air
suspension 13 t, hub reduction rear axle
Hypoid HY-1350, hypoid axle ratio i 2.53, fuel
filter heating, cab insulation NORDIC, electrical
preparation for retrofit of a PTO, trailer socket
24V (7-7-pin), Preparation for MAN Telematics
2 GPRS, pick-up plate 40 mm